

$\frac{\text{K} \Psi \text{T}}{\text{K}} = \text{M} \quad 1.1165\% \hat{A}$
 $\hat{e}^r \text{G} \hat{k} \quad , \quad \omega \quad \dot{\text{v}} \% \quad \dot{\text{i}} \quad \text{L} \quad , \quad \dot{\text{i}}$
 $= \quad , \quad ,$
 $\square \quad 245,582,583 \quad \sim \quad \vee \text{F} \quad \text{K} \Psi \quad = \quad \text{M} \quad 98.2409\%$
 $\dot{\text{i}} \quad 3,704,100 \quad \sim \quad \vee \text{F} \quad \text{K} \Psi \quad = \quad \text{M} \quad 1.4818\%$
 $693,200 \quad \wedge \quad \dot{\text{i}} \text{T} \sim \text{Z} \quad 0 \quad \sim \sim \vee \text{F} \quad \text{K} \Psi \quad =$
 $\text{M} \quad 0.2773\% \hat{A}$
 $\text{T} \quad \text{K} \quad = \quad , \quad ,$
 $\square \quad 57,028,664 \quad \sim \quad \vee \text{F} \quad \text{K} \Psi \text{T} \quad \text{K} \quad = \quad \text{M}$
 $92.8413\% \quad \dot{\text{i}} \quad 3,704,100 \quad \sim \quad \vee \text{F} \quad \text{K} \Psi \text{T} \quad \text{K} \quad = \quad \text{M}$
 $6.0302\% \quad 693,200 \quad \wedge \quad \dot{\text{i}} \text{T} \sim \text{Z} \quad 0 \quad \sim \sim \vee \text{F}$
 $\text{K} \Psi \text{T} \quad \text{K} \quad = \quad \text{M}$